



RCJYZ Standoff Insulator M6

Series: M6

Insulation material using flame retardant (UL94V-0) high strength, excellent electrical properties of plastic;

There are three types of copper, aluminum and steel inserts to choose from;

Used in power supply or cabinet to play the role of insulation and support for live parts;

Insulation resistance greater than 500MΩ;

Working temperature: -30 ℃ ~ 120 ℃

According to customer requirements assembly screw;

Can be customized according to customer requirements of different colors;

Customers can request a variety of customized products.


RCJYZ Standoff Insulator RCJYZ Standoff Insulator M6


Specification


Item No.	Thread	External Sizes (mm) (OD*H)	Rated Voltage (V)	Withstand Voltage (V/min)	Max Thread Screw Moment (Kgf.cm)	Insulate Material	Color	Insert material
RCJYZ-01C (F)	M6x10	Φ16*25	600	3000	50	BMC	Red	Copper
RCJYZ-01H	M6x10	Φ16*25	600	3000	50	PF	Black	Copper
RCJYZ-01Z	M6x10	Φ16*25	600	6000	60	BMC	Red	Copper
RCJYZ-03A	M6*6.5(Screw 9mm)	Φ23.1*16	600	4000	65	BMC	Red	Copper
RCJYZ-03H	M6x5	Φ23.1*16	600	3000	65	BMC	Red	Copper
RCJYZ-05A	M6x6.5	Φ26*26	600	5000	80	PF	Red	Copper
RCJYZ-09	M6x9	Φ20*33	800	3000	500	PF	Red	Copper
RCJYZ-13	M6x9 (9mm)	Φ20*18	600	1500	80	PF	Red	Copper
RCJYZ-17Z	M6x10	Φ23.1*45	1000	8000	110	BMC	Red	Copper
RCJYZ-20	M6x6.5	Φ20x25	800	3000	80	PF		Copper
RCJYZ-20D	M6*6.5	Φ23.1*25	600	5000	80	BMC	Red	Copper
RCJYZ-23	M6x6	Φ23.1*20	500	5000	50	PF	Red	Copper
RCJYZ-23 (B)	M6x6 (Screw 9mm)	Φ23.1x20	500	5000	50	PF	Red	Copper
RCJYZ-23C	M6x6 (Screw 9mm)	Φ23.1*20	800	5000	60	BMC	Red	Copper
RCJYZ-23D	M6x6	Φ23.1*20	800	5000	60	BMC	Red	Copper
RCJYZ-25(A)	M6X8	23.5x30	1500V	5000	65	PF(A)	Red /Black	Copper
RCJYZ-25C	M6x8	Φ21x30	1500	5000	65	BMC	Red	Copper
RCJYZ-27	M6x6	Φ16.6*20	600	5000	50	BMC	Red	Copper
RCJYZ-29J	M6x5	Φ23.1*40	800	5000	100	BMC	Red	Copper
RCJYZ-30D	M6x8	Φ23.1*35	800	5000	80	PF	Red/Black	Copper
RCJYZ-31	M6X9	Φ33.7x30	750V	5000	100	BMC	Red	Copper
RCJYZ-33B	M6x9 (With screw)	Φ33*30	1500	5000	80	PF	Red	Copper
RCJYZ-39G	M6X11.5	Φ23.1x35	800	5000	100	BMC	Red	Copper
RCJYZ-40	M6X10	Φ23.1x50	1500	10000	120	BMC	Red	Copper
RCJYZ-41	M6*5	Φ15x20	600V	2000V	120	BMC	Red	Copper
RCJYZ-50A	M6x10	Φ15*45	600	3000	50	PF	Red	Copper


RCJYZ-61A	M6x11	50x60	2000	8000	100	BMC	Red	Copper
RCJYZ-65	M6x8.5	23x25	500	2500	60	BMC	Red	Copper
RCJYZ-70Y	M6x8	Φ23.1*41	1500	3000	80	BMC	Red	Copper
RCJYZ-71	M6x8	32.5x35	500	5000	80	PF	Red	Copper
RCJYZ-113	M6x10	Φ16*45	600	3000	50	BMC	Red	Copper
RCJYZ-113A	M6x10	Φ17*45	600	3000	50	BMC	Red	Copper
RCJYZ-119	M6x6	Φ24*16	500	5000	50	BMC	Red	Copper


Product Show



RCJYZ-01C



RCJYZ-01H



RCJYZ-01Z



RCJYZ-03A



RCJYZ-03H


RCJYZ-05A


RCJYZ-09



RCJYZ-13






RCJYZ-17Z

RCJYZ-20




RCJYZ-20D

RCJYZ-23




RCJYZ-23 (B)

RCJYZ-23C




RCJYZ-23D

RCJYZ-25(A)




RCJYZ-25C

RCJYZ-27



RCJYZ-29J

RCJYZ-30D




RCJYZ-31

RCJYZ-33B




RCJYZ-39G

RCJYZ-40




RCJYZ-41

RCJYZ-50A




RCJYZ-61A

RCJYZ-65




RCJYZ-70Y

RCJYZ-71




RCJYZ-82
6
16±0.3
9±0.2
20±0.1
RCJYZ-113
14
0.5X45°
5
45±0.2


RCJYZ-113A
17.32
15
1
2
10
0.7X45°
ø15
2-M6-7H
0.5X45°
5
45±0.2
RCJYZ-119
(24±0.3)
A
24±0.3
B
12±0.3
C
2
1
M
D
2-M6-7H
ø20±0.3
G
6
F
7
E
6±0.2
16±0.3
H